



emPower Your Future



www.nurproducts.com



www.nurproducts.com

CATALOGUE

2026 Edition

**Manufacturers and Distributors of
Electrical Products**



11 Servus Road, Marburg, Port Shepstone



+27 (0) 39 682 0182



info@nurproducts.com

01	SWITCHGEAR	02
	SWITCHGEAR DIN RAIL OVERVIEW	03
	SWITCHGEAR - 3KA DIN RAIL	04
	SWITCHGEAR - 6KA DIN RAIL	05
	SWITCHGEAR DIN RAIL SP+N / ISO. / EARTH LEAKAGE	06
	MINI RAIL OVERVIEW	07
	SWITCHGEAR - 3KA MINI RAIL	08
	SWITCHGEAR - 6KA MINI RAIL	09
	SWITCHGEAR MINI RAIL SP+N / ISO. / EARTH LEAKAGE	10
	SWITCHGEAR ACCESSORIES OVERVIEW	11
	SWITCHGEAR ACCESSORIES	12
02	MCCB CIRCUIT BREAKER	13
	MOULDED CASE CIRCUIT BREAKERS	14
03	DISTRIBUTION BOARDS	15
	DISTRIBUTION BOARDS - DIN RAIL	16
	DISTRIBUTION BOARDS - MINI RAIL	18
	DISTRIBUTION BOARDS - PRE-POPULATED	19
	DISTRIBUTION BOARDS - ACCESSORIES	20
04	ENCLOSURES	22
05	LOCKABLE ISOLATORS	24
06	ESSENTIALS	25
07	PVC	27
08	CONTACT US	30



ABOUT US

NUR has been supplying the Southern African market with a high-quality unique combination of products to the electrical industry since 2010.

Our expert staff will provide solutions and help you find the perfect product from a wide range of trusted components to get your next electrical project done fast, efficiently and within budget.

NUR products are certified to meet all relative standards. When it comes to quality, engineering and service, our commitment to excellence sets a global standard.

About Us

Products

Contact Us

3 kA Din Rail



6 kA Din Rail



SP+N



ISOLATOR



Earth Leakage RCCB



3 kA Mini Rail



6 kA Mini Rail



SP+N



ISOLATOR



Earth Leakage RCCB



DIN RAIL



SWITCHGEARS OVERVIEW

PRODUCT RANGE	RATING	POLES	AMPERAGE RANGE	KEY FEATURES
 ND3 MCB	3kA	1P, 2P, 3P	6A – 63A	✓ Thermal Magnetic Protection ✓ DIN Rail Mount ✓ High Breaking Capacity
 ND6 MCB	6kA	1P, 2P, 3P	6A – 63A	✓ Thermal Magnetic Protection ✓ DIN Rail Mount ✓ High Breaking Capacity
 SP+N	3kA	Single Pole + Neutral	10A – 63 A	✓ Compact Design ✓ High Performance ✓ Circuit Isolation
 ISOLATOR	3kA & 6kA	1P, 2P, 3P	63A – 100A	✓ Compact Design ✓ High Performance ✓ Circuit Isolation
 EARTH LEAKAGE	40A – 63A 30mA	2P, 4P	40A – 63A	✓ Earth Leakage Protection ✓ High Sensitivity ✓ Test Button

About Us

Products

Contact Us



ND 3 DIN RAIL SINGLE POLE 3KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
ND3S6	6	1P	3	C	18	12	120
ND3S10	10	1P	3	C	18	12	120
ND3S16	16	1P	3	C	18	12	120
ND3S20	20	1P	3	C	18	12	120
ND3S25	25	1P	3	C	18	12	120
ND3S32	32	1P	3	C	18	12	120
ND3S40	40	1P	3	C	18	12	120
ND3S50	50	1P	3	C	18	12	120
ND3S63	63	1P	3	C	18	12	120

ND 3 DIN RAIL DOUBLE POLE 3KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
ND3D6	6	2P	3	C	36	6	60
ND3D10	10	2P	3	C	36	6	60
ND3D16	16	2P	3	C	36	6	60
ND3D20	20	2P	3	C	36	6	60
ND3D25	25	2P	3	C	36	6	60
ND3D32	32	2P	3	C	36	6	60
ND3D40	40	2P	3	C	36	6	60
ND3D50	50	2P	3	C	36	6	60
ND3D63	63	2P	3	C	36	6	60



ND 3 DIN RAIL TRIPLE POLE 3KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
ND3T6	6	3P	3	C	54	4	40
ND3T10	10	3P	3	C	54	4	40
ND3T16	16	3P	3	C	54	4	40
ND3T20	20	3P	3	C	54	4	40
ND3T25	25	3P	3	C	54	4	40
ND3T32	32	3P	3	C	54	4	40
ND3T40	40	3P	3	C	54	4	40
ND3T50	50	3P	3	C	54	4	40
ND3T63	63	3P	3	C	54	4	40



About Us

Products

Contact Us



ND 6 DIN RAIL SINGLE POLE 6KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
ND6S6	6	1P	6	C	18	12	120
ND6S10	10	1P	6	C	18	12	120
ND6S16	16	1P	6	C	18	12	120
ND6S20	20	1P	6	C	18	12	120
ND6S25	25	1P	6	C	18	12	120
ND6S32	32	1P	6	C	18	12	120
ND6S40	40	1P	6	C	18	12	120
ND6S50	50	1P	6	C	18	12	120
ND6S63	63	1P	6	C	18	12	120

ND 6 DIN RAIL DOUBLE POLE 6KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
ND6D6	6	2P	6	C	36	6	60
ND6D10	10	2P	6	C	36	6	60
ND6D16	16	2P	6	C	36	6	60
ND6D20	20	2P	6	C	36	6	60
ND6D25	25	2P	6	C	36	6	60
ND6D32	32	2P	6	C	36	6	60
ND6D40	40	2P	6	C	36	6	60
ND6D50	50	2P	6	C	36	6	60
ND6D63	63	2P	6	C	36	6	60




ND 6 DIN RAIL TRIPLE POLE 6KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
ND6T6	6	3P	6	C	54	4	40
ND6T10	10	3P	6	C	54	4	40
ND6T16	16	3P	6	C	54	4	40
ND6T20	20	3P	6	C	54	4	40
ND6T25	25	3P	6	C	54	4	40
ND6T32	32	3P	6	C	54	4	40
ND6T40	40	3P	6	C	54	4	40
ND6T50	50	3P	6	C	54	4	40
ND6T63	63	3P	6	C	54	4	40

About Us

Products

Contact Us




SINGLE POLE + NEUTRAL

CODE	AMP	POLE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
NDN10	10	1P+N	18	12	120
NDN16	16	1P+N	18	12	120
NDN20	20	1P+N	18	12	120
NDN32	32	1P+N	18	12	120
NDN40	40	1P+N	36	6	60
NDN63	63	1P+N	36	6	60

ISOLATOR

CODE	AMP	POLE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
NDI3D63	63	2P	36	6	60
NDI6T63	63	3P	54	4	40
NDI6T100	100	3P	54	4	40



EARTH LEAKAGE

CODE	AMP	POLE	KA RATING	WIDTH (MM)	INNER BOX QTY	CARTON QTY
NDR3D40	40	1P+N	3 kA	36	1	60
NDR3D63	63	1P+N	3 kA	36	1	60
NDR6F63	63	3P+N	6 kA	72	1	30

MINI RAIL



SWITCHGEARS OVERVIEW

PRODUCT RANGE	RATING	POLES	AMPERAGE RANGE	KEY FEATURES
 NU47 MCB	3kA	1P, 2P, 3P	6A – 63A	✓ Thermal Magnetic Protection ✓ Mini Rail Mount ✓ High Breaking Capacity
 NU60 MCB	6kA	1P, 2P, 3P	6A – 63A	✓ Thermal Magnetic Protection ✓ DIN Rail Mount ✓ High Breaking Capacity
 SP+N	3kA	Single Pole + Neutral	10A – 63 A	✓ Compact Design ✓ High Performance ✓ Circuit Isolation
 ISOLATOR	3kA & 6kA	1P, 2P, 3P	63A – 100A	✓ Uniform Design ✓ High Performance ✓ Circuit Isolation
 EARTH LEAKAGE	40A – 63A 30mA	2P, 4P	40A – 63A	✓ Earth Leakage Protection ✓ High Sensitivity ✓ Test Button

About Us

Products

Contact Us



MINI RAIL SINGLE POLE 3KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
CM6S3	6	1P	3	C	13	18	180
CM10S3	10	1P	3	C	13	18	180
CM16S3	16	1P	3	C	13	18	180
CM20S3	20	1P	3	C	13	18	180
CM25S3	25	1P	3	C	13	18	180
CM32S3	32	1P	3	C	13	18	180
CM40S3	40	1P	3	C	13	18	180
CM50S3	50	1P	3	C	19	12	120
CM63S3	63	1P	3	C	19	12	120

MINI RAIL DOUBLE POLE 3KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
CM10D3	10	2P	3	C	26	9	90
CM20D3	20	2P	3	C	26	9	90
CM32D3	32	2P	3	C	26	9	90
CM40D3	40	2P	3	C	26	9	90
CM50D3	50	2P	3	C	38	6	60
CM63D3	63	2P	3	C	38	6	60



MINI RAIL TRIPLE POLE 3KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
CM6T3	6	3P	3	C	39	6	60
CM10T3	10	3P	3	C	39	6	60
CM16T3	16	3P	3	C	39	6	60
CM20T3	20	3P	3	C	39	6	60
CM25T3	25	3P	3	C	39	6	60
CM32T3	32	3P	3	C	39	6	60
CM40T3	40	3P	3	C	39	6	60
CM50T3	50	3P	3	C	57	4	40
CM63T3	63	3P	3	C	57	4	40



About Us

Products

Contact Us



MINI RAIL SINGLE POLE 6KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
CM6S6	6	1P	6	C	19	12	120
CM10S6	10	1P	6	C	19	12	120
CM16S6	16	1P	6	C	19	12	120
CM20S6	20	1P	6	C	19	12	120
CM25S6	25	1P	6	C	19	12	120
CM32S6	32	1P	6	C	19	12	120
CM40S6	40	1P	6	C	19	12	120
CM50S6	50	1P	6	C	19	12	120
CM63S6	63	1P	6	C	19	12	120
CM80S6	80	1P	6	C	27	12	120
CM100S6	100	1P	6	C	27	12	120

MINI RAIL DOUBLE POLE 6KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
CM10D6	10	2P	6	C	38	6	60
CM16D6	16	2P	6	C	38	6	60
CM20D6	20	2P	6	C	38	6	60
CM25D6	25	2P	6	C	38	6	60
CM32D6	32	2P	6	C	38	6	60
CM40D6	40	2P	6	C	38	6	60
CM50D6	50	2P	6	C	38	6	60
CM63D6	63	2P	6	C	38	6	60



MINI RAIL TRIPLE POLE 6KA

CODE	AMP	POLE	KA	CURVE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
CM6T6	6	3P	6	C	57	4	40
CM10T6	10	3P	6	C	57	4	40
CM16T6	16	3P	6	C	57	4	40
CM20T6	20	3P	6	C	57	4	40
CM25T6	25	3P	6	C	57	4	40
CM32T6	32	3P	6	C	57	4	40
CM40T6	40	3P	6	C	57	4	40
CM50T6	50	3P	6	C	57	4	40
CM63T6	63	3P	6	C	57	4	40
CM80T6	80	3P	6	C	81	4	40
CM100T6	100	3P	6	C	81	4	40



About Us

Products

Contact Us



SINGLE POLE + NEUTRAL

CODE	AMP	POLE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
CM20SN	20	1P+N	26	9	90
CM25SN	25	1P+N	26	9	90
CM43SN	32	1P+N	26	9	90
CM40SN	40	1P+N	26	9	90
CM63SN	63	1P+N	38	9	60

ISOLATOR

CODE	AMP	POLE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
IM63S3	63	1	13	18	180
IM63D3	63	2	26	9	90
IM63T3	63	3	39	6	60
IM63T6	63	3	57	4	40
IM100T6	100	3	57	4	40



EARTH LEAKAGE

CODE	AMP	POLE	WIDTH (MM)	INNER BOX QTY	CARTON QTY
NMR40D3	40	1P+N	38	1	60
NMR63D3	63	1P+N	38	1	60
NMR63D6	63	1P+N	38	1	60
NMR63F6	63	3P+N	76	1	30

SWITCHGEAR **ACCESSORIES**

COMPLETE PROTECTION. MAXIMUM RELIABILITY.

NUR Surge Protection Devices and Accessories provide advanced protection for electrical systems by safeguarding against voltage surges and transients. Designed for easy installation and long-lasting performance.



PRODUCT RANGE	RATING	POLES	AMPERAGE RANGE	KEY FEATURES
 Surge Arrester	Type 2 SPD	1P - 420V 1P, 2P, 3P, 4P 275V	40kA	✓ Surge Protection ✓ Fast Response Time ✓ DIN Rail Mount
 Digital Timer	230VAC	L/N 1P	20A	✓ Programmable Switching ✓ Daily / Weekly Scheduling ✓ Dual Mount
 Kilowatt Hour Meter	Class 1 Accuracy	2P L/N	5(80)A	✓ Energy Monitoring ✓ LCD Display ✓ DIN Rail Mount
 Load Control Relay	230VAC	2P	25 A	✓ Load Control ✓ Priority Load Switching ✓ Din Rail

About Us

Products

Contact Us

SURGE PROTECTION DEVICE

CODE	DESCRIPTION	WIDTH	UNIT QTY
SADS40/NSP-D4251P	SURGE ARRESTOR 1P 40KA 420V	18mm	1
SADS20/NSPD2751P	SURGE ARRESTOR 1P 40KA 275V	18mm	1
NSPD2752P	DIN SURGE ARRESTOR 2P 40KA 275V	36mm	1
NSPD2753P	DIN SURGE ARRESTOR 3P 40KA 275V	54mm	1
NSPD2754P	DIN SURGE ARRESTOR 4P 40KA 275V	72mm	1



DIGITAL PROGRAMMABLE TIMER

CODE	DESCRIPTION	WIDTH	UNIT QTY
DTD20	DIGITAL TIMER DUAL MOUNT 20 A	36	1

KWH METER

CODE	DESCRIPTION	WIDTH	UNIT QTY
KWHD565	KILO WATT METER 65A	36	1




LOAD CONTROL RELAY

CODE	DESCRIPTION	WIDTH	UNIT QTY
NDLCU25	LOAD CONTROL RELAY	36mm	6

MCCB

CIRCUIT BREAKER

PROTECTION YOU CAN TRUST.



KEY FEATURES

Rated Current (In)	80A – 800A
Poles	3P
Rated Operational Voltage (Ue)	415V AC
Ultimate Breaking Capacity (Icu)	35kA – 65kA
Service Breaking Capacity (Ics)	22kA – 35kA
Insulation Voltage (Ui)	690V AC - 800 VAC
Impulse Withstand Voltage (Uimp)	6kV – 8kV
Frequency	50/60Hz
Standard	IEC60947-2 / EN 60947-2
Category	Cat. A

MOULDED CASE CIRCUIT BREAKERS

NMCCB 1

CODE	MOULDED CASE	AMP	KA	POLE	WIDTH (MM)	UNIT QTY
CMC80T	MOULDED CASE	80	35	3	91	1
CMC100T	MOULDED CASE	100	35	3	91	1
CMC125T	MOULDED CASE	125	35	3	91	1
CMC150T	MOULDED CASE	150	35	3	107	1
CMC160T	MOULDED CASE	160	35	3	107	1
CMC200T	MOULDED CASE	200	35	3	107	1
CMC225T	MOULDED CASE	225	35	3	107	1
CMC250T	MOULDED CASE	250	35	3	107	1
CMC315T	MOULDED CASE	315	50	3	149	1
CMC400T	MOULDED CASE	400	50	3	149	1
CMC500T	MOULDED CASE	500	50	3	182	1
CMC630T	MOULDED CASE	630	50	3	182	1
CMC800T	MOULDED CASE	800	65	3	210	1



About Us

Products

Contact Us

DISTRIBUTION BOARDS

DIN RAIL, MINI RAIL, AND WEATHER PROOF

SAFE, RELIABLE, MADE TO PROTECT

KEY FEATURES

- ✓ Metal base (adjustable)
- ✓ Smoky lids
- ✓ Plastic / metal cover
- ✓ Waterproof IP 65



DIN RAIL DISTRIBUTION BOARD



MINI RAIL DISTRIBUTION BOARD



WEATHER PROOF DISTRIBUTION BOARDS



FLUSH METAL BASE + PLASTIC COVER

CODE	DESCRIPTION	CARTON QTY
DD6FMB	6 WAY	20
DD8FMB	8 WAY	20
DD12FMB	12 WAY	10
DD15FMB	15 WAY	10
DD18FMB	18 WAY	10
DD212FMB	24 WAY (2*12)	10
DD312FMB	36 WAY (3*12)	5
DD315FMB	45 WAY (3*15)	5



SURFACE PLASTIC BASE + COVER

CODE	DESCRIPTION	CARTON QTY
DD6S	6 WAY	20
DD8S	8 WAY	20
DD12S	12 WAY	10
DD15S	15 WAY	10
DD18S	18 WAY	10
DD212S	24 WAY(2*12)	10
DD312S	36 WAY(3*12)	5
DD315S	45 WAY (3*15)	5


About Us

Products

Contact Us

WEATHER PROOF IP65

CODE	DESCRIPTION	CARTON QTY
DDWP4S	4 WAY	30
DDWP8S	8 WAY	20
DDWP12S	12 WAY	10
DDWP18S	18 WAY	5
DDWP24S	24 WAY (2*12)	5
DDWP36S	36 WAY (3*12)	1
DDWP54S	54 WAY (3*18)	1



SHROUDS

CODE	DESCRIPTION	RATING
PS2W	2 WAY	1
PS4W	4 WAY	1
PS6W	6 WAY	1
PS8W	8 WAY	1
PS12W	12 WAY	1

About Us

Products

Contact Us

DISTRIBUTION BOARD FLUSH

CODE	DESCRIPTION	CARTON QTY
DM6FM	6 WAY	10
DM8FM	8 WAY	10
DM10FM	10 WAY	10
DM12FM	12 WAY	10
DM16FM	16 WAY	10
DM20FM	20 WAY	10
DM24FM	24 WAY	10



DISTRIBUTION BOARD SURFACE

CODE	DESCRIPTION	CARTON QTY
DM6SM	6 WAY	10
DM8SM	8 WAY	10
DM10SM	10 WAY	10
DM12SM	12 WAY	10
DM16SM	16 WAY	10
DM20SM	20 WAY	10
DM24SM	24 WAY	10

About Us

Products

Contact Us



NUR FLUSH COMPLETES (STARTER PACK)

CODE	DESCRIPTION	CARTON QTY
DD8FMBSP	NUR DB DIN 8 WAY FLUSH METAL BASE COMPLETE	20
DD12FMBSP	NUR DB DIN 12 WAY FLUSH METAL BASE COMPLETE	10

NUR SURFACE COMPLETES (STARTER PACK)

CODE	DESCRIPTION	CARTON QTY
DD8SSP	NUR DB DIN 8 WAY SURFACE COMPLETE	20
DD12SSP	NUR DB DIN 12 WAY SURFACE COMPLETE	10

DISTRIBUTION BOARDS

ACCESSORIES

THE FOUNDATION OF
A RELIABLE INSTALLATION.

From DIN rails and busbars to blanking plates and enclosure systems, NUR Distribution Board Accessories provide the essential components required for professional power distribution, and efficient panel organization.



DIN RAIL SYSTEMS




- ✓ Metal construction
- ✓ Precision mounting slots
- ✓ High conductivity copper
- ✓ Compatible with standard modular devices

MINI RAIL SYSTEMS




- ✓ Metal construction
- ✓ Precision mounting slots
- ✓ High conductivity copper
- ✓ Compatible with standard modular devices

DIN BLANKING PLATES



- ✓ Professional panel finishing
- ✓ Covers unused module spaces
- ✓ Clean appearance

DB Label Book / Sheet




About Us

Products

Contact Us


BUSBARS

CODE	DESCRIPTION	POLE	UNIT QTY
CADBS54	DIN RAIL BUSBAR 54 MODULE	SP	10
CADBS9	DIN RAIL BUSBAR 9 MODULE	SP	10
CAMBS18	MINI RAIL BUSBAR 18 MODULE	SP	10




RAILS

CODE	DESCRIPTION	CARTON QTY
DADR1	DIN RAIL 1M SLOTTED	10
DAMR48	MINI RAIL 48 MODULE	10



DIN BLANK STRIP

CODE	DESCRIPTION	RATING
DADB6M	BLANK STRIP 6 MODULE	20



LABELS

CODE	DESCRIPTION	CARTON QTY
DALB	LABE BOOK	5
DALS	LABE SHEET	20

OUTDOOR ELECTRICAL SOLUTIONS

ELECTRICAL ENCLOSURES


BUILT TO **PROTECT**.
DESIGNED TO **LAST**.



About Us

Products

Contact Us



IP65			
CODE	DESCRIPTION	UNIT QTY	CARTON QTY
EWJB 655 -IP 65	65 X 50 X 55	1	400
EWJB 886 -IP 65	85 X 85 X 60	1	200
EWJB 10107 -IP 65	100 X 100 X 70	1	100
EWJB 1187 -IP 65	110 X 80 X 70	1	100
EWJB 12107 -IP 65	120 X 100 X 70	1	100
EWJB 15117 -IP 65	150 X 110 X 70	1	80
EWJB 17127 -IP 65	175 X 125 X 75	1	50
EWJB 171210 -IP 65	175 X 125 X 100	1	50
EWJB 15158 -IP 65	150 X 150 X 80	1	50
EWJB 20108 -IP 65	200 X 100 X 80	1	50
EWJB 18188 -IP 65	180 X 180 X 80	1	36
EWJB 201510 -IP 65	200 X 155 X 100	1	30
EWJB 202010 -IP 65	200 X 200 X 100	1	24
EWJB 252010 -IP 65	250 X 200 X 100	1	20
EWJB 302513 -IP 65	300 X 250 X 130	1	10
EWJB 353013 -IP 65	350 X 300 X 130	1	8
EWJB 403513 -IP 65	400 X 350 X 130	1	5

FIBREGLASS			
CODE	DESCRIPTION	UNIT QTY	CARTON QTY
SOCKET ENCLOSURE SLIDING LID	100 X 50	1	50
SOCKET ENCLOSURE SLIDING LID	100 X 100	1	27

OUTDOOR ISOLATOR SWITCH

SAFE. RELIABLE.
BUILT FOR OUTDOORS.

Engineered for reliable disconnection in outdoor electrical installations. IP66 rated protection against water, dust and outdoor weather conditions.






ISOLATOR	
CODE	DESCRIPTION
NWI202	WP ISOLATOR SWITCH IP66 20A 2P
NWI203	WP ISOLATOR SWITCH IP66 20A 3P
NWI352	WP ISOLATOR SWITCH IP66 35A 2P
NWI353	WP ISOLATOR SWITCH IP66 35A 3P
NWI632	WP ISOLATOR SWITCH IP66 63A 2P
NWI633	WP ISOLATOR SWITCH IP66 63A 3P



ELECTRICAL ACCESSORIES

SMALL PARTS. **BIG PERFORMANCE.**



32A CONNECTOR

- ✓ 32A Rated
- ✓ Flat end Screw
- ✓ Insulator-Blue flame resistant PVC
- ✓ Deep Screw head, provides easy tightening
- ✓ Combination Phillips/flat


About Us

Products

Contact Us

GRIPTY

CODE	DESCRIPTION	CARTON QTY
NGTSSC	One sided entry 32 A PVC connector with closed end	100




SADDLES

CODE	DESCRIPTION	PACKET QTY	CARTON QTY
GS20	20MM GALVANISED SADDLES	100	10000
GS25	25MM GALVANISED SADDLES	100	5000
GS32	32MM GALVANISED SADDLES	100	5000
GS50	50MM GALVANISED SADDLES	50	2500

WALL BOX

CODE	DESCRIPTION	CARTON QTY
GB42	100*50 GALVANISED WALL BOX	120
GB44	100*100 GALVANISED WALL BOX	130



METAL (OPEN BACK)

CODE	DESCRIPTION	CARTON QTY
ME420	100*50 METAL EXTENSION	100
ME440	100*100 METAL EXTENSION	100

BUILT FOR EVERY BEND

COMPLETE PVC CONDUIT ACCESSORIES FOR CLEAN, RELIABLE INSTALLS

From tight corners to multi-directional runs, the right fittings make all the difference. Our PVC conduit accessories are designed for durability, easy installation, and a professional finish every time.



COUPLERS





PVC TRUNKING



20MM JUNCTION BOXES




CURVE BENDS



SMART COMPONENTS. STRONGER SYSTEMS.

Built to last, ideal for residential, Commercial,
and industrial electrical installations.




CONDUIT

CODE	DESCRIPTION	PACK QTY
PC20	20MM PVC CONDUIT 4M	25
PC25	25MM PVC CONDUIT 4M	25
PC32	32MM PVC CONDUIT 4M	10
PC50	50MM PVC CONDUIT 4M	5

TRUNKING

CODE	DESCRIPTION	PACK QTY
PTYT12	16*16 PVC TRUNKING 2M	20
PTYT13	16*16 PVC TRUNKING 3M	20
PTYT2	16*25 PVC TRUNKING 3M	20
PTYT3	16*40 PVC TRUNKING 3M	10
PTYT4	25*40 PVC TRUNKING 3M	10
PTYT5	40*40 PVC TRUNKING 3M	10
PTNBT4	100*40 PVC TRUNKING 3M	4



GLUE

CODE	DESCRIPTION	CARTON QTY
PG 200	200ml PVC WELD	50

About Us

Products

Contact Us

PVC SIDE ENTRY BOX


CODE	DESCRIPTION	PACK QTY
201	20MM 1WAY SIDE ENTRY	200
202	20MM 2WAY SIDE ENTRY	200
203	20MM 3WAY SIDE ENTRY	200
204	20MM 4WAY SIDE ENTRY	200
20A	20MM ANGLE BOX	200
208L	20MM 8WAY LOOP IN BOX	300
20U	20MM U BOX	200
20Y	20MM Y BOX	200
251	25MM 1WAY SIDE ENTRY	200
252	25MM 2WAY SIDE ENTRY	200
253	25MM 3WAY SIDE ENTRY	200
254	25MM 4WAY SIDE ENTRY	180
25A	25MM ANGLE BOX	200
20IB	20MM INSPECTION BEND	100
20IE	20MM INSPECTION ELBOW	100
20IT	20MM INSPECTION TEE	100
20E	20MM PLAIN ELBOW	400
201BE	20MM 1 WAY BACK ENTRY	200
202BE	20MM 2 WAY BACK ENTRY	200
203BE	20MM 3 WAY BACK ENTRY	200
204BE	20MM 4 WAY BACK ENTRY	200
20FA	20MM FEMALE ADAPTOR	2000
20MA	20MM MALE ADAPTOR	2000
25MA	25MM MALE ADAPTOR	1000
20C	20MM COUPLING	2000
25C	25MM COUPLING	1000
BL65	PVC BOX LID 65MM	1000
BL85	PVC BOX LID 85MM OVERSIZED	600
PB42	PVC FLUSH WALL BOX 100x50 (4*2)	200
PB44	PVC FLUSH WALL BOX 100x100 (4*4)	108
EXT42	PVC EXTENSION BOX 100x50 (4*2)	60
EXT44	PVC EXTENSION BOX 100x100 (4*4)	36
20SB	20MM SOLID BEND	240
25SB	25MM SOLID BEND	160
50SB	50MM SOLID BEND	12



About Us

Products

Contact Us



Catalogue Terms & Conditions

- Product images are for illustrative purposes only and may differ from the actual product.
- Specifications may change without notice as manufacturers update products.
- Stock availability is subject to confirmation at the time of ordering.
- All trademarks and brand names remain the property of their respective owners.
- Prices are subject to change without prior notice.
- E&OE (Errors and Omissions Excepted).
- Products to be installed by a qualified electrician.

Address

11 Servus Rd, Marburg,
Port Shepstone, 4252,
South Africa

Phone

039 682 0182

Whatsapp

060 948 5575

Email

info@nurproducts.com